

















HDMI ADAPTER & DONGLE RING GUIDE

USB-C		MINI DISPLAYPORT		DISPLAYPORT		LIGHTNING	VGA
Adapter	Dongle	Adapter	Dongle	Adapter	Dongle		
							
 <p>6.65 (0.262) 43.40 (1.709) 28.00 (1.102) 12.00 (0.472)</p>	 <p>7.5 (0.295) 12.0 (0.472) 6.65 (0.262) 33.50 (1.320) 164.65±10 (6.47) 44.5 (1.750) 64.4 (2.535) 12.0 (0.472) 28.25 (1.112)</p>	 <p>8.20 (0.323) 40.90 (1.610) 28.00 (1.102) 12.00 (0.472)</p>	 <p>8.0 (0.315) 10.9 (0.429) 8.2 (0.323) 27.0 (1.063) 156.5±10 (6.177) 45.2 (1.781) 64.4 (2.535) 12.0 (0.472) 28.25 (1.112)</p>	 <p>11.15 (0.439) 43.75 (1.722) 28.00 (1.102) 12.00 (0.472)</p>	 <p>8.5 (0.335) 11.3 (0.445) 20.0 (0.787) 38.0 (1.496) 39.0 (1.535) 187.75±10 (7.390) 45.2 (1.781) 64.4 (2.535) 12.0 (0.472) 28.25 (1.112)</p>	 <p>114.8 (4.519) 20.4 (0.803) 4.1 (0.161) 5.3 (0.209) 25.91 (1.020) 0.90 (0.035) 38.1 (1.500)</p>	 <p>7.80±0.15 (0.307) 14.70±0.10 (0.579) 18.0±0.10 (0.709) 81.25 (3.199) 38.1 (1.500)</p>

HDMI ADAPTER & DONGLE RING GUIDE

The Patent Pending HDMI Adapter Rings from C2G are the perfect addition to conference rooms, huddle spaces, lecture halls, classrooms, and even hot-desking—ensuring that anyone can connect at all times. Available in two different configurations, the C2G HDMI Dongle Adapter Rings provide ultimate flexibility to fit the needs of any space.



MOUNTING OPTIONS

Two different mounting options provide the flexibility for you to choose what best meets the needs of your room.

- Universal Cable Mount attaches directly to an HDMI cable (5-10mm diameter)
- Retractable Universal Mount attaches to any flat surface, like a table or lectern



ESSENTIAL A/V ADAPTERS

Don't worry about having the right connections anymore. Standard configurations include the adapters to connect nearly any device to the in-room display.

- USB-C® to HDMI
- DisplayPort® to HDMI
- Mini DisplayPort to HDMI
- VGA and Audio to HDMI
- Apple® Lightning® to HDMI



4K RESOLUTION

Maximize the performance of the in-room display and provide the detailed images required for analytical or detailed decision making. All adapters in the standard configurations support up to a 4K video resolution.



COLOR CODING


Each adapter is color coded with a band that saves time and frustration by making it easy to quickly identify the adapter you need, "I need the yellow one".



PULL TAB

Easily grab the adapters when you need them with the integrated Pull Tab. Also, the pull tab may be customized to feature your company or organization logo*.

*Minimum order quantities apply



TOOLS INCLUDED

No more overnight orders or digging to find the right installation tools—everything you need to attach the adapters is included. The HDMI Cable Gauge Tool eliminates the guess work and reduces the time you need to mount the Universal Cable Mount to the HDMI cable.

HDMI ADAPTER & DONGLE RING GUIDE

Product Number	STYLE		MOUNTING OPTIONS				CONNECTION OPTIONS				
	Adapter Style	Dongle Style	Cable Sliding	Pre-Mounted HDMI Cable	Universal Retractor	Table Box Retractor	4K USB-C	4K Mini DisplayPort	4K DisplayPort	Lightning	VGA
29878	✓		✓				✓	✓	✓		
29879	✓				✓		✓	✓	✓		
29880	✓					✓	✓	✓	✓		
C2G29886	✓		✓				✓	✓	✓	✓	
C2G29887	✓		✓				✓	✓	✓	✓	✓
C2G29888	✓		✓				✓	✓	✓		✓
C2G29889	✓		✓				✓	✓		✓	
C2G29890	✓				✓		✓	✓	✓	✓	
C2G29891	✓				✓		✓	✓	✓	✓	✓
C2G29892	✓				✓		✓	✓	✓		✓
C2G29893	✓					✓	✓	✓	✓	✓	✓
C2G29895	✓		✓				✓	✓			
C2G30028		✓	✓				✓	✓	✓		
C2G30029		✓			✓		✓	✓	✓		
C2G30041		✓	✓				✓	✓	✓	✓	
C2G30042		✓	✓				✓	✓	✓	✓	✓
C2G30043		✓	✓				✓		✓		
C2G30044		✓	✓				✓	✓			
C2G30045		✓	✓				✓	✓		✓	
C2G30051		✓	✓				✓			✓	
C2G30052		✓		✓ (6ft)			✓	✓	✓		
C2G30053		✓		✓ (6ft)			✓		✓		
C2G30054		✓		✓ (6ft)			✓	✓			
C2G30056		✓		✓ (10ft)			✓	✓			
C2G30057		✓		✓ (15ft)			✓	✓			